Working Draft

Elements of Preliminary Conceptual Conservation Strategy Alternatives

Note: This table summarizes the elements of each of the preliminary conceptual conservation strategy alternatives presented at the February 26, 2007 Conservation Strategy Workgroup meeting. Placement of a "X" in columns indicates that the element is a component of the CSA. Placement of a "x" indicates that the element is a component of the alternative, but that it would be implemented at a smaller scale than under other alternatives that include the component.

Conservation Strategy Alternative Elements	Conservation Strategy Alternatives (CSAs) ¹								
	1	2	3	4	5	6	7	8	9
Re-operation of pumps to reduce or avoid impacts on fish during sensitive time	X								X
period									
Re-operation of upstream storage facilities to improve in-stream flows and cold	X						X		
water pool management for benefit of riverine fish									
Re-operation of rivers to support Delta in-flow for benefit of estuarine species	X							X	X
Removal and consolidation of diversions	X			X	X				
Increased and improved screening of in-Delta diversions	X								
Opportunistic habitat restoration on channel-side of levees (no island restoration)	X	X	X	X	X	X	X	X	X
Improvements to louver facilities at SWP and CVP pumps	X								
Improvements to fish salvage operations	X								
In-Delta Levee setbacks for purpose of floodplain restoration (including riparian,		X	X	X	X	X	X	X	X
marsh, and open water)									
Restoration of existing farmed islands to aquatic, marsh, and/or open water habitat									
by re-flooding									
 primarily focused on northern and eastern Delta to avoid adverse salinity effects 		X	X	Т	Т	X	Х	I	
on water quality at pumps		71	71			A .	, A		
focused Delta wide				X	X			X	X
Increased pumping capacity to take advantage of high flow episodes, limited or no			X						
pumping at other times									
Increased conveyance capacity south of Delta			X						
Additional south-of-Delta storage facilities and infrastructure necessary to			X						
opportunistically store high flows									
Re-operate DCC for ecological benefits			X						
Peripheral aqueduct ("South Delta Aqueduct") from Sacramento River (near Hood)				X					
with discharge into lower San Joaquin River									
Interim in-Delta habitat restoration and system operations during construction of				X	X			X	X

Conservation Strategy Alternative Elements	Conservation Strategy Alternatives (CSAs) ¹								
ST TO THE TOTAL PROPERTY OF THE TOTAL PROPER	1	2	3	4	5	6	7	8	9
new conveyance facilities									1
Modified operations to more closely mimic natural hydrologic conditions (salinity,				X	X			X	X
flow, temperature)									1
Reconfiguration of Delta for ecosystem benefits and long-term management after				X	X			X	1
construction of new conveyance facilities									<u> </u>
Diversion on Sacramento River at Hood with isolated facility (i.e., "peripheral					X				1
canal") that isolates Clifton Court Forebay and SWP and CVP pumps									<u> </u>
Conversion of diked wetlands to tidal wetlands in Suisun Marsh						X			<u> </u>
Removal of salinity control structures in Suisun Marsh						X			<u> </u>
Improving passage and access to upstream habitats							X		<u> </u>
Restoration of spawning habitat (e.g., gravel augmentation)							X		<u> </u>
Expansion of river floodplain habitat including creation and expansion of new							X		ł
floodways									<u> </u>
Isolation of captured gravel pits							X		<u> </u>
Installation of screens on river diversions							X		<u> </u>
Removal of bank protection to reestablish floodplain processes							X		1
Restoration of riparian habitat including shaded riverine							X		1
Peripheral aqueduct from Sacramento River (near Hood) with a connector to Clifton								X	1
Court Forebay that isolates the SWP and CVP pumps (smaller discharge than under									ł
CSA 5) and a connector that discharges into lower San Joaquin River (smaller									1
discharge than under CSA 4									<u> </u>
Improvements/maintenance of through Delta conveyance facilities									X
Diversion on Sacramento River at Hood with isolated facility (i.e., "peripheral									X
canal") that isolates Clifton Court Forebay and SWP and CVP pumps (of lesser									1
capacity than under CSA 5)									

¹ Conservation Strategy Alternatives:

- 1= CSA 1—Operations Modifications with Existing Conveyance Configuration
- 2 = CSA 2—In-Delta Habitat Restoration under Existing Operations
- 3 = CSA 3—Opportunistic Exports with In-Delta Habitat Restoration
- 4 = CSA 4—South Delta Aqueduct with In-Delta Habitat Restoration
- 5 = CSA 5—Isolated Facility with In-Delta Habitat Restoration

- 6 = CSA 6—Suisun Marsh Habitat Restoration in Combination with In-Delta Restoration
- 7 = CSA 7—Upstream Habitat Restoration in Combination with In-Delta Restoration
- 8 = CSA 8—Bifurcated SDA with In-Delta Restoration
- 9 = CSA 9—Dual Conveyance with In-Delta Restoration

BDCP Conservation Strategy Work Group		HANDOUT #3
Working Draft		
March 19, 2007		CSA ELEMENTS